

I CLAIM:

1. An improvement to a transceiver, such as a cell phone, palm pilot or computer, comprising:

a plurality of display devices;

expanding means, connected to said transceiver and to the plurality of display devices, for expanding the plurality of display devices about said transceiver; and

screen-size indicator, electrically connected to the plurality of display devices, for determining a screen size, said screen-size indicator, responsive to the screen size and responsive to a video signal, for displaying the video signal on the plurality of display devices, or the combination of the plurality of display devices, as determined by the screen size, respectively.

2. The improvement as set forth in claim 1, with the expanding means including a spring and a latch, for ejecting and securing a display device of the plurality of display devices.

3. The improvement as set forth in claim 1 with the expanding means including hinges for expanding the plurality of display devices.

4. The improvement as set forth in claim 1, further including a plurality of sensors connected to the plurality of

display devices, respectively, for sensing when the plurality of display devices are expanded.

5. The improvement as set forth in claim 1, with the expanding means including means for folding the plurality of display devices.

6. A method for improving a transceiver, such as a cell phone, palm pilot or computer, with a plurality of display devices connected to said transceiver, comprising the steps of:

expanding the plurality of display devices about said transceiver; and

determining a screen size;

displaying, responsive to the screen size and responsive to a video signal, the video signal on the plurality of display devices, or the combination of the plurality of display devices, as determined by the screen size, respectively.

7. The improvement as set forth in claim 6, with the step of expanding including the step of ejecting, using a spring and a latch, a display device of the plurality of display devices.

8. The improvement as set forth in claim 6, with the step of expanding including the step of expanding with hinges for the plurality of display devices.

9. The improvement as set forth in claim 6, further including the step of sensing, with a plurality of sensors connected to the plurality of display devices, respectively, when the plurality of display devices are expanded.

10. The improvement as set forth in claim 6, with the step of expanding including the step of folding the plurality of display devices.

11. An improvement to a transceiver, such as a cell phone, palm pilot or computer, comprising:

a plurality of display devices;

a plurality of hinges, connected to said transceiver and to the plurality of display devices, for expanding the plurality of display devices about said transceiver; and

screen-size indicator, electrically connected to the plurality of display devices, for determining a screen size, said screen-size indicator, responsive to the screen size and responsive to a video signal, for displaying the video signal on the plurality of display devices, or a combination of the plurality of display devices, as determined by the screen size, respectively.

12. The improvement as set forth in claim 11, further including a plurality of switches connected to the plurality of

display devices, respectively, for sensing when the plurality of display devices are expanded.